



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/989,845	11/21/2001	James E. Lerch JR.	011215	1251

7590 12/17/2004

Eckert Seamans Cherin & Mellot, LLC
Alcoa Technical Center
100 Technical Drive
Alcoa Center, PA 15069-0001

EXAMINER

GARCIA, ERNESTO

ART UNIT	PAPER NUMBER
----------	--------------

3679

DATE MAILED: 12/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/989,845

Applicant(s)

LERCH, JAMES E.

Examiner

Ernesto Garcia

Art Unit

3679

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 September 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 7-12, 14-16, 18-20, 22 and 24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-12, 14-16, 18-20, 22 and 24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Objections

Claim 22 is objected to because of the following informalities:

Regarding claim 22, "each" in line 2 should be --the at least one-- since at least one railing has been recited and not at least two or more railings. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 8-10 and 18-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Case, 3,388,892 (see reproduced marked-up attachment).

Regarding claim 1, Case discloses an improvement, in a barrier, comprising at least one longitudinally extending railing **82**, vertically extending posts **56**, and fastening means **42c**.

The railing **82** has at least one generally T-shaped channel **86**. The channel **86** extends in a longitudinal direction **A3** of the railing **82** and at least one leg **A12** of the channel **86** extends inwardly within the channel **86**.

The posts **56** each have an elongated body **A5** and at least two flange segments **58**. The flange segments **58** extend outwardly in opposite directions **A7** and have at least one perforation **71** in each of the flange segments **58**.

The fastening means **42c** are slidably embraced within the channel **86** and the fastening means **42c** extend through the perforation **71** in the flange segments **58** and fastened to the posts **56**.

Applicant is reminded that the fastening means **42c** are able to provide a variably select position of the posts along the longitudinally extending railing. Relative to the railing, the posts are able to be positioned along the railing.

Regarding claim 8, given the improvement as recited in claim 1 above or the apparatus as recited in claim 18 below, the method is inherently performed when the improvement or the apparatus is assembled. Therefore, Case discloses a method for providing a barrier having at least one longitudinally extending railing supportably fastened to vertically extending posts, comprising:

providing at least one longitudinally extending railing having at least one generally T-shaped channel extending in the longitudinal direction of the railing;

Art Unit: 3679

providing vertically extending posts having an elongated body and having at least two flange segments extending outwardly in opposite direction and having at least one perforation in each flange segment;

slidably fastening to the vertical post the T-shaped channel and through a perforation in the flange segment; and,

providing a variably select post position along the longitudinally extending railing.

Regarding claims 2, 9 and 19, the T-shaped channel **86** has an inwardly extending tab **A12** at an end of a leg **A13** of the channel **86**.

Regarding claim 18, Case discloses in Figures 1-3 an apparatus comprising a barrier **32**. The barrier **32** has at least one longitudinally extending railing **82**, vertically extending posts **56**, and fastening means **42c**.

The railing **82** has at least one generally T-shaped channel **86**. The channel **86** extends in a longitudinal direction **A3** of the railing **82** and at least one leg **A12** of the channel **86** extends inwardly within the channel **86**.

The posts **56** each have an elongated body **A5** and at least two flange segments **58**. The flange segments **58** extend outwardly in opposite directions **A7** and have at least one perforation **71** in each of the flange segments **58**.

The fastening means **42c** are slidably embraced within the channel **86** and the fastening means **42c** extend through the perforation **71** in the flange segments **58** and fastened to the posts **56**.

Applicant is reminded that the fastening means 42c are able to provide a variably select post position along the longitudinally extending railing. Relative to the railing, the posts are able to be positioned along the railing.

Regarding claims 3, 10 and 20, the railing 82 has another T-shaped channel 90 thereby the railing 82 has at least two T-shaped channels 86,90.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-2, 4, 5, 7-9, 11, 12, 14-18, 19, 22 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over McMullin, 3,258,250 (see marked-up attachments provided on last office action), in view of Case, 3,388,892.

Regarding claim 1, McMullin discloses an improvement comprising at least one longitudinally extending railing 37, vertically extending posts 11, and fastening means 34. The railing 37 has at least one generally T-shaped channel A2. The channel A2

Art Unit: 3679

extends in a longitudinal direction **A3** of the railing **37** and at least one leg **45** of the channel **A2** extends inwardly within the channel **A2**. The posts **11** each have an elongated body **14** and at least two flange segments **A6**. The flange segments **A6** extend outwardly in opposite directions **A7** and have at least one perforation **32** in at least one of the flange segments **A6** (Fig. 1; attachment). The fastening means **34** are slidably embraced within the channel **A2** and the fastening means **34** extend through the perforation **32** in the flange segments **A6** and fastened to the posts **11**.

However, McMullin does not show another perforation in the other one of the flange segments **A6** thereby making each of the flange segments **A6** having at least one perforation to connect the rail. Case teaches in Figure 7 at least one perforation **71** in each flange segment **58** to connect a rail to a post. Therefore, as taught by Case, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include at least one perforation **32** in each of the flange segments **A6** to connect the rail to the posts.

Applicant is reminded that the fastening means **42c** are able to provide a variably select post position along the longitudinally extending railing. Relative to the railing, the posts are able to be positioned along the railing.

Regarding claims 2, 9 and 19, the T-shaped channel **86** has an inwardly extending tab **45** at an end of a leg **41** of the channel **A2**.

Regarding claims 4, 11 and 22, the railing **37** has a T-shaped channel **A11**.

Regarding claims 5 and 12, the flange segments **A6** extend at 180 degrees angle to each other.

Regarding claim 8, given the modification of the improvement as recited in claim 1 above or the modification of the apparatus as recited in claim 18 below, the method is inherently performed when the improvement or the apparatus is assembled. Therefore, McMullin, as modified, discloses a method for providing a barrier having at least one longitudinally extending railing supportably fastened to vertically extending posts, comprising:

- providing at least one longitudinally extending railing having at least one generally T-shaped channel extending in the longitudinal direction of the railing;

- providing vertically extending posts having an elongated body and having at least two flange segments extending outwardly in opposite direction and having at least one perforation in each flange segment;

- slidably fastening to the vertical post the T-shaped channel and through a perforation in the flange segment; and,

- providing a variably select post position along the longitudinally extending railing.

Applicant is reminded that relative to the railing, the posts are able to be positioned along the railing.

Regarding claim 18, McMullin discloses in Figures 1 and 3 an apparatus comprising a barrier **36**. The barrier **36** has at least one longitudinally extending railing **37**, vertically extending posts **11**, and fastening means **34**.

The railing **37** has at least one generally T-shaped channel **A2**. The channel **A2** extends in a longitudinal direction **A3** of the railing **37** and at least one leg **45** of the channel **A2** extends inwardly within the channel **A2**.

The posts **11** each have an elongated body **14** and at least two flange segments **A6**. The flange segments **A6** extend outwardly in opposite directions **A7** and have at least one perforation **32** in each of the flange segments **A6**.

The fastening means **34** are slidably embraced within the channel **A2** and the fastening means **34** extend through the perforation **32** in the flange segments **A6** and fastened to the posts **11** to provide a variably select elevation of the longitudinally extending railing.

Regarding claims 7 and 24, McMullin, as discussed above, discloses the railing **37** and the posts **11** are formed from metal (col. 1, lines 11-17). However, McMullin fails to disclose the metal being aluminum by an extrusion process. Applicant is reminded that, within the general skill of a worker in the art, selecting a known material on the basis of its suitability for the intended use is a matter of obvious design choice. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to form the railing and the vertical post from aluminum. *In re*

Art Unit: 3679

Leshin, 125 USPQ 416. Furthermore, applicant is reminded that the method of forming the railing and the posts by an extrusion process is not germane to the issue of patentability of the device itself. Therefore, this limitation has been given limited patentable weight. See MPEP ' 2113.

Regarding claims, 14-17, it is well known in the art to make a railing, posts or both by an extrusion process.

Response to Arguments

Applicant's arguments with respect to claims 1-5,7-12,14-16,18-20,22 and 24 have been considered but are moot in view of the new grounds of rejection.

Conclusion

The following prior art made of record and not relied upon is considered pertinent to applicant's disclosure. British patent, GB-1,396,301 shows a similar improvement in a barrier and a method of providing a barrier.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. In particular, the added limitations "a variably select post position along the railing" in lines 15-16 in claim 1, in lines 13-14 in claim 8, and in lines 14-15 in

claim 18. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ernesto Garcia whose telephone number is 703-308-8606. The examiner can normally be reached from 9:30-6:00. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9326 for regular communications and 703-872-9327 for After Final communications.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola can be reached on 703-308-2686. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

Art Unit: 3679

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



E.G.

December 8, 2004

Attachments: one marked-up copy of Case, 3,388,892; and,
one marked-up copy of McMullin, 3,258,250.



DANIEL P. STODOLA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600

Art Unit: 3679

3,388,892 (Case)





FIG. 7.

FIG. 4.



BY
Walter G. Finch
ATTORNEY

JOHN S. CASE
INVENTOR

Art Unit: 3679

3,258,250 (McMullin)




FIG.3

91